

Message

From: Withrow, Mark [MWithrow@portla.org]
Sent: 3/9/2020 10:17:02 PM
To: Irwin, Karen [Irwin.Karen@epa.gov]
CC: Sadrpour, Shirin [SSadrpour@portla.org]; Brenner, Rita [RBrenner@portla.org]
Subject: RE: status of TSCA application for Wilmington Marine site
Attachments: Front St (TR) - PCB Cap Inspection Report 3-11-2019.pdf; YTI - PCB cap inspection 2018 thru April 2019.pdf; SWM Soil Mgt Plan- FINAL Update July 2018.pdf

Flag: Follow up

Good Afternoon Karen,

There are two cap inspections that are conducted within the Port and reported to EPA as follows:

- Front Street Beautification Corridor (see last year's report attached, and we will be submitting this year's likely in April)
- Yusen Terminals LLC (YTI) Cap inspections are completed and submitted by our tenant, YTI, (see attached example)

In addition, there is a soil management plan (attached) in place at the former Southwest Marine Property whose cleanup was overseen by DTSC and USEPA. Rita Brenner (cc'd) is the Port project manager for this site. Please let us know if you have any other questions.

Regards,

Mark Withrow, PE
Environmental Management Division
City of Los Angeles Harbor Department
310-221-4783 (office)
949-394-2194 (cell)

From: Irwin, Karen <Irwin.Karen@epa.gov>
Sent: Friday, March 06, 2020 12:32 PM
To: Withrow, Mark <MWithrow@portla.org>
Cc: Sadrpour, Shirin <SSadrpour@portla.org>
Subject: RE: status of TSCA application for Wilmington Marine site

CAUTION: External email.

Thanks Mark for the quick reply! It's good to know the application should be ready in April.

As a separate item regarding the POLA sites for which cleanup has been completed, should I be receiving operation and maintenance reports for the capped areas? Also, Cynthia mentioned there may be a section in POLA's Master Plan that describes O&M procedures.

Thanks,
Karen

Karen Irwin

U.S. EPA Region IX, LND-1-1
75 Hawthorne St.
San Francisco, CA 94105
(415) 947-4116

From: Withrow, Mark [<mailto:MWithrow@portla.org>]
Sent: Friday, March 6, 2020 11:15 AM
To: Irwin, Karen <Irwin.Karen@epa.gov>; Withrow, Mark <MWithrow@portla.org>
Cc: Sadrpour, Shirin <SSadrpour@portla.org>
Subject: RE: status of TSCA application for Wilmington Marine site

Good Morning Karen,
Thank you for following up with us. We are internally reviewing the draft application, which our consultant prepared and plan on issuing the version for EPA review in April. Please let us know if you have any other questions
Regards
Mark

Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: "Irwin, Karen" <Irwin.Karen@epa.gov>
Date: 3/6/20 11:00 AM (GMT-08:00)
To: "Withrow, Mark" <MWithrow@portla.org>
Subject: status of TSCA application for Wilmington Marine site

CAUTION: External email

Hi Mark, I replaced Cynthia Ruelas as Project Manager for oversight on PCB cleanup at POLA sites. After reviewing Cynthia's files, it looks like the most recent official correspondence was EPA's June 2019 letter requesting an application for a risk-based approval.

I thought I would check in on the status of POLA's preparation of the application and see if there's anything that might be holding it up?

Thanks,
Karen

Karen Irwin
U.S. EPA Region IX, LND-1-1
75 Hawthorne St.
San Francisco, CA 94105
(415) 947-4116

-----Confidentiality Notice-----

This electronic message transmission contains information from the Port of Los Angeles, which may be confidential. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the content of this information is prohibited. If you have received this communication in error, please notify us immediately by e-mail and delete the original message and any attachment without reading or saving in any manner.

-----Confidentiality Notice-----

This electronic message transmission contains information from the Port of Los Angeles, which may be confidential. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the content of this information is prohibited. If you have received this communication in error, please notify us immediately by e-mail and delete the original message and any attachment without reading or saving in any manner.